






Non return valve G1/4

Futura Serie




Article type	Article number	Series	Flow	Weight (kg)
KREV-014	035344	Futura	None l/min	0,1347

Flow diagram




Symbol



Technical data

Connection: G 1/4	Construction size: BG0	Input pressure P1 max.: 12 bar
Medium: Compressed air, neutral gases	Temperature area: -10 °C - +50 °C	System extensions: poppet valve, spring-loaded
Flow rate 1>2: 750 l/min	Flow rate 1>2.4 Hi.: 1000 l/min	



035762

Coupling kit BG0 FUTURA

035763

FUTURA coupling kit BG0 for wall assembly



040319

Coupling kit BG0 G1/4 for wall assembly




040327

Coupling kit BG0 G1/8 for wall assembly



040566

Coupling adapter BG0/BG1





052203

Mounting bracket FUTURA BG0 (BW.0+2x screw
3x10 with Torx 10IP)




Non return valve G1/4

Futura Serie




Article type	Article number	Series	Flow	Weight (kg)
KREV-114	030522	Futura	None l/min	0,2200

Flow diagram



Symbol



Technical data

Connection: G 1/4	Construction size: BG1	Input pressure P1 max.: 16 bar
Medium: Compressed air, neutral gases	Temperature area: -10 °C - +50 °C	System extensions: poppet valve, spring-loaded
Flow rate 1>2: 1250 l/min	Flow rate 1>2.3 Vo.: 700 l/min	



034270

FUTURA coupling kit BG1 for wall assembly



034271

Coupling kit BG1 FUTURA



040320

Coupling kit BG1 G1/4 for wall assembly



040324

Coupling kit BG1 G3/8 for wall assembly



040378

Coupling adapter BG1/BG2




052210

Mounting bracket FUTURA BG1 (BW.1+2x screw 3x10 with Torx 10IP)




Non return valve G1/2

Futura Serie




Article type	Article number	Series	Flow	Weight (kg)
KREV-212	031192	Futura	None l/min	0,3678

Flow diagram



Symbol



Technical data

Connection: G 1/2	Construction size: BG2	Input pressure P1 max.: 16 bar
Medium: Compressed air, neutral gases	Temperature area: -10 °C - +50 °C	System extensions: poppet valve, spring-loaded
Flow rate 1>2: 4500 l/min	Flow rate 1>2.4 Hi.: 1100 l/min	Flow rate 1>2.2 Ob.: 830 l/min



034604

FUTURA coupling kit BG2 for wall assembly




052204

Mounting bracket FUTURA BG2 (BW.2+2x screw
3x10 with Torx 10IP)




Non return valve G1

Futura Serie




Article type	Article number	Series	Flow	Weight (kg)
KREV-41	036962	Futura	16000 l/min	0,8242

Flow diagram




Symbol




Technical data

Connection: G 1	Construction size: BG4	Flow: 16000 l/min
Input pressure P1 max.: 16 bar	Input pressure P1 min.: 0,4 bar	Medium: Compressed air, neutral gases
Temperature area: -10 °C - +50 °C	System extensions: poppet valve, spring-loaded	Flow rate 1>2: 16000 l/min



034330

Mounting bracket FUTURA BG4 (BW.4+2x screw
3x10 with Torx T01P)



034832

FUTURA coupling kit BG4 for wall assembly